


HONDA
CB750F
SUPER SPORT



**The all new and spectacularly styled Super Sport!
A great combination of exciting power
and reassuring safety feature**

...let, controllable high power that
...ll impress the most demanding
...orts riding enthusiasts. It's the
...750 F, a great machine to get
...u where you're going with flair!
...significant superiority is gener-
...ed by a Dynamic Four OHC with
...carburetors, the four gleaming
...es merging into one, just the

...right dramatic touch to the beau-
...tiful styling. Major and minor
...features have been meticulously
...designed - from the reliable front
...and rear disc brakes to the long
...low seat.
...Dozens of refinements that assure
...handling ease are waiting for you
...to discover.





● Handy storage compartment under the rear section of the comfortable double seat for gloves, etc. Locked seat also covers and protects helmet hooks, tools, document box and doubles as rear fender.




● Large tachometer and speedometer with resettable odometer are angled and well-lighted for quick reading day or night. Double-sided ignition key on warning lamp panel locks steering when turned left and removed.



● Hydraulic disc brake on rear wheel aids quick stopping with good control and feedback, as well as having negligible fade even when used hard and often. Disc pad wear can be checked easily by eye.



● Filler nozzle and cap of 17-liter (4.5 US gal, 3.7 imp gal) tank is under lid unlocked by ignition key.



● All switches at fingertips and labeled for easy use, including red two-way emergency ignition switch.



CB750F SPECIFICATIONS

Engine	736 cc OHV four cylinder 4-stroke, air-cooled trans- verse in-line aluminum alloy
Bore x Stroke	61 x 63 mm (2.40 x 2.48 in)
Compression	9.2:1
Starting	Electric push button or kick
Clutch	Wet multi-plate
Transmission	Close ratio 5-speed
Frame	Double cradle tubular steel
Dimensions	
L x W x H	2,190 x 860 x 1,160 mm (86 x 34 x 46 in)
Wheelbase	1,470 mm (57.9 in)
Gasoline Tank Capacity	17 liters (4.5 US gal, 3.7 Imp gal)
Tires	3.25H19 front rib, 4.00H18 rear block
Brakes	Hydraulic discs front and rear
Weight	226 kg (498 lb) Dry

Specifications subject to change
without notice.

Specifications certified by Transport
Ministry of Japan.

Ride alert.
Dress right.
Wear a helmet.
Enjoy safe motorcycling.



ADDRESS: HONDA MOTOR CO., LTD., 1-1, SHYOGAKUJI, YOKOHAMA, JAPAN
HONDA
JANER MOTOR CO., LTD., TOKYO, JAPAN